



CANALIX
CANADA LICK BLOCKS LTD.

CANA-LIX BEEF CORN GRAZER 30% LICK TUB
SUPPLEMENT FOR BEEF CATTLE

A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

GUARANTEED ANALYSIS

Crude Protein (min)	30.00 %	Iodine (min)	25 mg/kg
ECP from NPN (max)	16.90 %	Iron (min)	110 mg/kg
Crude Fat (min)	1.00 %	Copper (min)	910 mg/kg
Crude Fiber (max)	0.50 %	Manganese (min)	1,200 mg/kg
Calcium (min)	12.00 %	Zinc (min)	2,000 mg/kg
Phosphorus (min)	0.14 %	Cobalt (min)	7.50 mg/kg
Magnesium (min)	1.00 %	Selenium (min)	12.00 mg/kg
Sulphur (min)	0.20 %	Vitamin A (min)	250,000 iu/kg
Sodium (min)	0.10 %	Vitamin D (min)	25,000iu/kg
Potassium (min)	1.50 %	Vitamin E (min)	1,200 iu/kg

FEEDING DIRECTIONS:

Feed the Cana-Lix Beef Corn Grazer 30% Lick Tub free choice to beef cattle while grazing standing corn, corn stover or high amounts of corn silage in conjunction with adequate amount of good quality forage, good quality water and free-choice salt. The consumption of this lick tub supplement should be managed to 200-450 grams per head per day. Ensure beef cattle have consumed roughage before introducing this feed for the first time. If beef cattle run out of protein tubs, observe intake closely for the days after replacing the tubs to prevent over consumption. If consumption is too low, bring tubs closer to the watering and resting areas. In large pastures, tubs should be available in more than one location. If consumption is higher than desired, move tubs further away from the watering and resting areas, and/or reduce the number of tubs available to beef cattle. It is recommended to provide one tub for every 20-30 mature animals. Contact a New Rosedale Feedmill representative for more information.

CAUTION:

- 1) Do not feed to sheep.
- 2) Store in a dry area away from rodents and insects.
- 3) Do not feed moldy or insect-infested feed to animals as it may cause illness, abortion or death.

PRÉCAUTION:

- 1) Ne pas servir aux moutons.
- 2) Conserver dans un endroit sec, à l'abri des rongeurs et des insectes.
- 3) Ne pas servir d'aliments moisis ou infestés d'insectes aux animaux car ils peuvent provoquer des maladies, des avortements ou la mort.

Individual results from the use of this product may vary due to management, environmental, genetic, health and sanitation differences; therefore, New Rosedale Feed Mill does not guarantee individual results.

Manufactured by: New Rosedale Feed Mill, Portage la Prairie, Manitoba

Net Weight: 90.7 kg (200 lbs)

FORMULA CODE: 410

LOT NUMBER: